

API

Documentation





1

SEND SMS TO SINGLE RECIPIENT

API ENDPOINT

URL: <http://papi.messagebot.in/SendSmsV2>

GET REQUEST EXAMPLE

```
http://papi.messagebot.in/SendSmsV2?apiToken=DPceDDmFr9PRjLKr&messageType;=2&messageEncoding;=1&destinationAddress;=917006822667&sourceAddress;=STRZBT&messageText;=One Time Password for account verification is 8977. Do not share this OTP with anyone.-Starzbet&userReferenceId;=ABC123
```

POST REQUEST EXAMPLE (JSON PAYLOAD)

```
[
{
  "apiToken": "DPceDDmFr9PRjLKr",
  "messageType": "2",
  "messageEncoding": "1",
  "destinationAddress": "917006822667",
  "sourceAddress": "STRZBT",
  "messageText": "One Time Password for account verification is 8977. Do not share this OTP with anyone.-Starzbet",
  "dltEntityId": "18",
  "dltEntityTemplateId": "8"
}
]
```

SAMPLE RESPONSE

```
[
{
  "MessageId": 3195701,
  "OperationCode": 0,
  "Status": "Success",
  "DlrStatus": null,
  "UserReferenceId": "ABC123",
  "DestinationAddress": "917006822667",
  "Remarks": "Message Submitted",
  "CallBackUrl": "https://webhook.site/50791112-ae35-406b-a5e5-8a2a6a4eb851"
}
]
```



2

FETCH DELIVERY REPORT (DLR) DETAILS

API ENDPOINT

<http://papi.messagebot.in/Dlr/GetDetails>

GET REQUEST EXAMPLE

```
http://papi.messagebot.in/Dlr/GetDetails?apiToken=TrUkkjbzgdhsgd&messageId;=3196185
```

RESPONSE EXAMPLE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "MessageId": 3196185,
      "DestinationAddress": "917006123394",
      "TextReceived": "Hello",
      "MessageType": "Transactional",
      "MessageLength": 5,
      "MessageParts": 1,
      "CustomerCost": 0.17,
      "DlrStatus": "Delivered",
      "ErrorCode": 1,
      "ErrorDescription": "No Error",
      "SentDateTime": "2025-02-24T06:22:04",
      "Uid": null,
      "SmsId": "db15035c-da41-4f89-aa39-9b89f61d958a"
    }
  ]
}
```

POST EXAMPLE REQUEST BODY

```
{
  "apiToken": "TrUkdfjgn00KqJ5",
  "messageId": 3196185,
  "userDefinedId": "String"
}
```



2

FETCH DELIVERY REPORT (DLR) DETAILS

API ENDPOINT

<http://papi.messagebot.in/Dlr/GetDetails>

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "MessageId": 3196185,
      "DestinationAddress": "917006123394",
      "TextReceived": "Hello",
      "MessageType": "Transactional",
      "MessageLength": 5,
      "MessageParts": 1,
      "CustomerCost": 0.17,
      "DlrStatus": "Delivered",
      "ErrorCode": 1,
      "ErrorDescription": "No Error",
      "SentDateTime": "2025-02-24T06:22:04",
      "Uid": null,
      "SmsId": "db15035c-da41-4f89-aa39-9b89f61d958a"
    }
  ]
}
```

3

RETRIEVE CAMPAIGN DETAILS

API ENDPOINT

<http://papi.messagebot.in/Dlr/GetCampaignDetail>

API REQUEST EXAMPLE

<http://papi.messagebot.in/Dlr/GetCampaignDetail?apiToken=TrUk3bw8fghfdj&campaignId;=16139&startDate;=2025-02-24T09:00:00>



MESSAGEBOT SMS API INTEGRATION DOCUMENTATION

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 2487562,
      "Destination Address": "917006123394",
      "DLR Status": null
    }
  ]
}
```

POST EXAMPLE REQUEST BODY

```
{
  "apiToken": "TrUk3bw8oZ80KqJ5",
  "campaignId": 16139,
  "dlrStatus": "NULL",
  "startDate": "2025-02-24T09:00:00"
}
```

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 2487562,
      "Destination Address": "917006123394",
      "DLR Status": null
    }
  ]
}
```



4

CHECK APPROVED SENDERS LIST

API ENDPOINT

<http://papi.messagebot.in/sender/List?apiToken=TrUk3bw8oZ80KqJ5>

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "CampaignSenderId": 271,
      "SenderId": "INFO",
      "CountryName": "India",
      "MessageTypeId": 2,
      "MessageType": "Transactional",
      "Details": "Request to whitelist my sender on an urgent basis",
      "StatusName": "Approved",
      "RequestedBy": "XYZ",
      "RequestedDateTime": "2025-02-24T01:27:47"
    }
  ]
}
```

API ENDPOINT

<http://papi.messagebot.in/sender/List>

POST REQUEST BODY

```
{
  "apiToken": "TrUk3fghjqJ5"
}
```




4

CHECK APPROVED SENDERS LIST

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "CampaignSenderId": 271,
      "SenderId": "INFO",
      "CountryName": "India",
      "MessageTypeId": 2,
      "MessageType": "Transactional",
      "Details": "Request to whitelist my sender on an urgent basis",
      "StatusName": "Approved",
      "RequestedBy": "XYZ",
      "RequestedDateTime": "2025-02-24T01:27:47"
    }
  ]
}
```



API

Documentation

This documentation provides an overview of the API endpoints covering both single and multiple message submissions, encoding options, delivery status tracking, fetching DLR details, checking account balance, retrieving campaign information, and verifying approved senders. Each section includes both GET and POST request options along with example responses for seamless integration.